


New State-of-the-Art Super Release Coating

Now available to the paper industry – Field-applied roll coatings with excellent release. Resulting from a two-year development effort, this product can be field applied in less time than conventional roll coverings made with *Teflon*®. This coating is ideal for dryers and for rolls subject to mechanical damage.

"Fluoro-Coat"™ 200 Advantages:

- Ideal for dryers
- Ideal for pressure sensitive "stickies"
- Offers an alternative to doctoring
- Size press hoods and nozzles
- Curable at normal temperatures
- Saves costly downtime
- Not subject to build-up
- Field applied
- Continuous service at 350°F
- Intermittent service at 450°F



"FLUORO-COAT"™ 200

"Fluoro-Coat"™ 200 is a completely different chemistry. It is polymerized to release "stickies", such as duct tape that sticks to DuPont's *Teflon*® finishes. You have to see the release characteristics to believe it. Try the duct tape test!

"Fluoro-Coat"™ 200 field applied coating tests are underway in comparison to coatings of *Teflon*® that must be baked at 700°F at an applicator's plant.

"Fluoro-Coat"™ 200 is one of six new state-of-the-art products and technologies of the paper industry which are recent additions to Fluoron's complete line of coatings, heat-shrinkable tubing, and UHMW-PE pressure sensitive sheet.

TEFLON® is a registered Trademark of E. I. du Pont de Nemours Company

